

## Struktura tabeli jos\_content (wpisane artykuły)

Wpisany przez Jan Jackowicz-Korczyński  
niedziela, 18 kwietnia 2010 08:43

---

```
{codecitation}TABLE `jos_content` (  
  
  `id` int(11) unsigned NOT NULL auto_increment,  
  
  `title` varchar(255) NOT NULL default "",  
  
  `alias` varchar(255) NOT NULL default "",  
  
  `title_alias` varchar(255) NOT NULL default "",  
  
  `introtext` mediumtext NOT NULL,  
  
  `fulltext` mediumtext NOT NULL,  
  
  `state` tinyint(3) NOT NULL default '0',  
  
  `sectionid` int(11) unsigned NOT NULL default '0',  
  
  `mask` int(11) unsigned NOT NULL default '0',
```

## Struktura tabeli jos\_content (wpisane artykuły)

Wpisany przez Jan Jackowicz-Korczyński  
niedziela, 18 kwietnia 2010 08:43

---

`catid` int(11) unsigned NOT NULL default '0',

`created` datetime NOT NULL default '0000-00-00 00:00:00',

`created\_by` int(11) unsigned NOT NULL default '0',

`created\_by\_alias` varchar(255) NOT NULL default '',

`modified` datetime NOT NULL default '0000-00-00 00:00:00',

`modified\_by` int(11) unsigned NOT NULL default '0',

`checked\_out` int(11) unsigned NOT NULL default '0',

`checked\_out\_time` datetime NOT NULL default '0000-00-00 00:00:00',

`publish\_up` datetime NOT NULL default '0000-00-00 00:00:00',

`publish\_down` datetime NOT NULL default '0000-00-00 00:00:00',

`images` text NOT NULL,

`urls` text NOT NULL,

## Struktura tabeli jos\_content (wpisane artykuły)

Wpisany przez Jan Jackowicz-Korczyński  
niedziela, 18 kwietnia 2010 08:43

---

`attribs` text NOT NULL,

`version` int(11) unsigned NOT NULL default '1',

`parentid` int(11) unsigned NOT NULL default '0',

`ordering` int(11) NOT NULL default '0',

`metakey` text NOT NULL,

`metadesc` text NOT NULL,

`access` int(11) unsigned NOT NULL default '0',

`hits` int(11) unsigned NOT NULL default '0',

`metadata` text NOT NULL,

PRIMARY KEY (`id`),

KEY `idx\_section` (`sectionid`),

## Struktura tabeli jos\_content (wpisane artykuły)

Wpisany przez Jan Jackowicz-Korczyński  
niedziela, 18 kwietnia 2010 08:43

---

KEY `idx\_access` (`access`),

KEY `idx\_checkout` (`checked\_out`),

KEY `idx\_state` (`state`),

KEY `idx\_catid` (`catid`),

KEY `idx\_createdby` (`created\_by`)

) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO\_INCREMENT=1510 ;{/codecitation}